


AGS


Downlight

This trimless luminaire series offers an aesthetic and modern solution with its special mounting system for plaster ceilings. The flanged edges are covered with plaster, allowing the fixture to be recessed into the ceiling for a frameless, seamless appearance. In this way, it integrates perfectly with architectural design, adding elegance and simplicity to the space. With its refined form, it is an ideal choice for contemporary interior lighting applications.



RAL COLORS

- Std.  9016
- Opt.  9005



AGS1


IP20  

Code	Luminous Flux	System Power	Weight
AGS1	500lm	15W	0.35 Kg

Body: Aluminum
Reflector: Aluminum

Driver: Included
Voltage: 220~240 VAC


Color Temperature: 2700-3000-4000-5000-6500K
Led: COB



Code	Cut-Out
AGS1	Ø 62mm


BOX DIMENSIONS
10x10x13cm


BOX WEIGHT
0.5Kg





RAL COLORS

Std.

9016

Opt.

9005

9006

AGS2


IP20

Code	Luminous Flux	System Power	Weight
AGS2	130lm	10W	0.25 Kg


Body: Aluminum
Reflector: Aluminum


Driver: Included
Voltage: 220~240 VAC

Color Temperature: 2700-3000-4000-5000-6500K
Led: COB



Code	Cut-Out
AGS2	Ø 52mm





RAL COLORS

Std.  9016
Opt.  9005

AGS3

IP20  


Code	Luminous Flux	System Power	Weight
AGS3/30	70lm	5W	0.1 Kg
AGS3/40	130lm	10W	0.15 Kg

Body: Aluminum
Reflector: Aluminum


Driver: Included
Voltage: 220~240 VAC

Color Temperature: 2700-3000-4000-5000-6500K
Led: Power Led

AGS3/30



AGS3/40



Code	Cut-Out
AGS3/30	Ø 32mm
AGS3/40	Ø 42mm



BOX DIMENSIONS
AGS3 7x7x15cm
AGS4 8x8x14cm



BOX WEIGHT
AGS3 0.2Kg
AGS4 0.3Kg

