


AKM



Decorative

Lighting System




System AKM, produced for your variable lighting requirements, is a good sign that show how much we care your special requests. We offer you elegant and powerful lighting effect and eligibility with aluminum fixture body compatible with suspended ceilings.








AKM is a system developed for answering various needs of an environment. The needs for general lighting, spotlight and object lighting, sound systems and air conditioning can be answered by AKM System. The module structure and dimensions can be arranged due to your special requests.


DECORATIVE INDOOR FIXTURES / AKM



AKM	Description	Code	Lamp	Color
	Body: Body and front panel are manufactured from 1 mm thick DKP steel sheet and coated with 80 micron texture paint. Aeration channels are manufactured from DKP steel sheet 0.6 mm thickness and coated with 80 micron electrostatic powder paint.	AKM 235	2x35 W HCI-T/HOI-T	Gray
		AKM 270	2x70 W HCI-T/HOI-T	Gray
		 Box Dimensions		 Weight
		Inside box 1 PCS. AKM 290x2220x340 mm		AKM 20.500 gr
				Protection: IP20

AKM/L	Description	Code	Lamp	Color
	AKM / L has an adjustable structure. These fixtures can be used in options; with halogen or metal halide lamps.	AKM/L 35	35 W HCI-T/HOI-T	Gray
		AKM/L 70	70 W HCI-T/HOI-T	Gray
				
				cd/klm — C0-C180 — C90-C270

AKM/OP	Description	Code	Lamp	Color
	Lineer lighting applications are possible in AKM systems by using T5 lamps with opal lens instead of using air passage.	AKM/OP 114	1x14 W FH	Gray
		AKM/OP 214	2x14 W FH	Gray
		 Box Dimensions		 Weight
		Inside box 1 PCS. AKM/OP 290x2220x340 mm		AKM/OP 20.500 gr
				Protection: IP20

AKM/H	Description	Code
	Thanks to it's flexible structure, AKM system allows to use various devices, such as speakers, dedectors,... etc. in lighting applications.	AKM/H



AKM/K



Description

The air conditioning module of AKM System can be used by emitting fresh air comes from air channels to the environment or by absorbing air from the environment. By this means, lighting, air conditioning and sound recording needs of the area are handled just by one system. Module dimensions can be adjusted due to your request.

Code

AKM/K



Dimensions

